



Publikationsliste Region Hovedstadens Psykiatri

over peer-reviewed artikler i videnskabelige tidsskrifter
(1. januar 2003 – 10. oktober 2005)

(inkluderer ikke bøger / kapitler i bøger, videnskabelige afhandlinger)
(inddelt efter forfatterens ansættelsessted på publikationstidspunktet)

Psykiatrisk Center Rigshospitalet

1. Hansen ES, Prichep LS, Bolwig TG, John ER. Quantitative electroencephalography in OCD patients treated with paroxetine. *Clin Electroencephalogr.* 2003 Apr;34(2):70-4.
2. Madsen TM, Kristjansen PE, Bolwig TG, Wörtwein G. Arrested neuronal proliferation and impaired hippocampal function following fractionated brain irradiation in the adult rat. *Neuroscience.* 2003;119(3):635-42.
3. Bolwig TG. Putative common pathways in therapeutic brain stimulation for affective disorders. *CNS Spectr.* 2003 Jul;8(7):490-5. Review.
4. Povlsen UJ, Wildschjødzt G, Høgenhaven H, Bolwig TG. Nonconvulsive status epilepticus after electroconvulsive therapy. *J ECT* 2003 Sep;19(3):164-9.
5. Fink-Jensen A, Fedorova I, Wortweing G, Woldbye DP, Rasmussen T, Thomsen M, Bolwig TG, Knitowski KM, McKinzie DL, Yamada M, Wess J, Basile A. Role for M5 muscarinic acetylcholine receptors in cocaine addiction. *J Neurosci Res.* 2003 Oct 1;74(1):91-6.
6. Nanobashvili A, Woldbye DP, Husum H, Bolwig TG, Kokaia M. Neuropeptide Y Y5 receptors suppress in vitro spontaneous epileptiform bursting in the rat hippocampus. *Neuroreport.* 2004 Feb 9;15(2):339-43.
7. Husum H, Bolwig TG, Sanchez C, Mathe AA, Hansen SL. Levetiracetam prevents changes in levels of brain-derived neurotropic factor and neuropeptide Y mRNA and of Y1- and Y5-like receptors in the hippocampus of rats undergoing amygdala kindling: implications for antiepileptogenic and mood-stabilizing properties. *Epilepsy Behav.* 2004 Apr;5(2):204-15.
8. Sørensen G, Lindberg C, Wörtwein G, Bolwig TG, Woldbye DP. Differential roles for neuropeptide Y Y1 and Y5 receptors in anxiety and sedation. *J Neurosci Res.* 2004 Sep 1;77(5):723-9.

9. Greisen MH, Altar CA, Bolwig TG, Whithead R, Wortwein G. Increased adult hippocampal brain-derived neurotrophic factor and normal levels of neurogenesis in maternal separation rats. *J Neurosci Res.* 2005 Mar 15;79(6):772-8.
10. Greisen MH, Bolwig TG, Husum H, Nedergaard P, Wortwein G. Maternal separation affects male rat copulatory behaviour and hypothalamic corticotropin releasing factor in concert. *Behav Brain Res.* 2005 Mar 30;158(2):367-75. Epub 2005 Nov 14.
11. Adams KH, Hansen ES, Pinborg LH, Hasselbalch SG, Svarer C, Holm S, Bolwig TG, Knudsen GM. Patients with obsessive-compulsive disorder have increased 5-HT_{2A} receptor binding in the caudate nuclei. *Int J Neuropsychopharmacol.* 2005 Apr 1;1-11.
12. Bolwig TG. First-line use of ECT. *J ECT.* 2005 Mar;21(1):51.
13. Greisen MH, Bolwig TG, Wörtwein G. Cholecystokinin terapeptide effects on HPA axis function and elevated plus maze behaviour in maternally separated and handled rats. *Behav Brain Res.* 2005 Jun 20;161(2):204-12. Epub 2005 Mar 17.
14. Woldbye DP, Nanobaxhvili A, Sorensen AT, Husum H, Bolwig TG, Sorensen G, Ernfors P, Kokaia M. Differential suppression of seizures via Y2 and Y5 neuropeptide Y receptors. *Neurobiol Dis.* 2005 Jun 23.
15. Adams KH, Hansen ES, Pinborg LH, Hasselbalch SG, Svarer C, Holm S, Bolwig TG, Knudsen GM. Patients with obsessive-compulsive disorder have increased 5-HT_{2A} receptor binding in the caudate nuclei. *Int J Neuropsychopharmacol.* 2005 Sep;8(3):391-401. Epub 2005 Apr 1.
16. Olesen OF, Bennike B, Hansen ES, Koefoed P, Woldbye DP, Bolwig TG, Mellerup E. The short/long polymorphism in the serotonin transporter gene promotor is not associated with panic disorder in a Scandinavian sample. *Psychiatr Genet.* 2005 Sep;15(3):159.
17. Fenger MM, Gade A, Adams KH, Hansen ES, Bolwig TG, Knudsen GM. Cognitive deficits in obsessive-compulsive disorder on tests of frontal lobe functions. *Nord J Psychiatry.* 2005;59(1):39-44.
18. Kessing L.V. and Nilsson, F.M. (2003) Increased risk of developing dementia in patients with major affective disorders compared to patients with other medical illnesses. *J Affect Disord, J Affect Disord.* 73, 261-9.
19. Kessing,L.K., Agerbo, E., Mortensen, P.B. (2003) Does the impact of major stressful life events on the risk of developing depression change throughout life? *Psychol Medicine,* 33,1-8.
20. Kessing.L.K., Videbech,P. (2003) Depression – sygdomsbelastning, diagnostik og behandling. *Ugeskr Læger* 165, 1252.
21. Nilsson, F.M., Kessing, L. V., Sørensen TM, Andersen PK and Bolwig, T.G. (2003) Affective disorders in neurological diseases: a case register-based study. *Acta Psychiatr Scand* 108, 41-50.

22. Nilsson, F.M., Kessing, L. V. and Bolwig, T.G. (2003) On the increased risk of developing late-onset epilepsy for patients with major affective disorder *J Affect Disord*, 76, 39-48.
23. Licht RW, Vestergaard P, Kessing LV, Larsen JK, Thomsen PH. (2003) Psychopharmacological treatment with lithium and antiepileptic drugs: suggested guidelines from the Danish Psychiatric Association and the Child and Adolescent Psychiatric Association in Denmark. *Acta Psychiatr Scand*, 108 Suppl 419:1-22.
24. Kessing, L.V., Nilsson, F.M., Siersma, V., Andersen, P.K. (2003) No increased risk of developing depression in diabetes compared to other chronic illness. *Diabetes research and clinical practice*, 62:113-21.
25. Kessing, L.V. (2003) Subtypes of depressive episodes according to ICD-10. Prediction of risk of relapse and suicide. *Psychopathology*, 36,285-91.
26. Kessing, L.V. (2004) Severity of depressive episodes according to ICD-10. Prediction of risk of relapse and suicide. *Br J Psychiatry*, 184,153-6.
27. Kessing, L.K., Agerbo, E., Mortensen, P.B. (2004) Major stressful life events and other risk factors for first admission with mania. *Bipolar Disorders*, 6,1-8.
28. Kessing, L. V., Iburg, K.M. (2004) Psykiatrisk sygdomsbelastning nu og i fremtiden. *Ugeskr Læger*, 166:1005-7.
29. Kessing, L. V., Nilsson, F.M., Siersma, V., Andersen, P.K. (2004) Increased risk of developing diabetes in depressive and bipolar disorders ? *J Psychiatric Research, J Psychiatr Res.*, 38:395-402.
30. Kessing, L. V., Hansen, M.G., Andersen, P.K., Angst, J. (2004) The predictive effect of episodes on the risk of recurrence in depressive and bipolar disorders. *Acta Psych Scand*,109:339-44.
31. Kessing, L. V. (2004) Endogenous, reactive and neurotic depression – diagnostic stability and long-term outcome. *Psychopathology*, 37:124-30.
32. Kessing, L. V. (2004) Gender differences in the phenomenology of bipolar disorder. *Bipolar Disord*, 6, 1-5.
33. Kessing, L.V. (2004) Subtypes of manic episodes according to ICD-10. Prediction of time to remission and risk of relapse. *J Affect Disord*, 81: 279-85.
34. Kessing, L. V., Andersen, P.K. (2004) Does the risk of developing dementia increase with the number of affective episodes in patients with depressive and in patients with bipolar disorders? *J Neurol Neurosurg Psychiatry*, 75: 1662-6.
35. Kessing, L. V., Hansen, M.G., Andersen, P.K. (2004) Course of illness in depressive and bipolar disorders. Naturalistic study, 1994-1999. *Br J Psychiatry*, 185:372-7.
36. Kessing, L.V., Munk-Jørgensen, P. (2004) Does type of first contact in depressive and bipolar disorders predict subsequent hospitalisation and risk of suicide? *J Affect Disord*. 2004, 83(1):65-71.

37. Nilsson, F.M., Kessing, L. V. Increased risk of developing stroke for patients with major affective disorder: a registry study. *Eur Arch Psychiatry Clin Neurosci*. 2004 Nov 12.
38. Thompsen, A.F., Kvist, K., Andersen, P.K., Kessing, L.V. Increased risk of developing affective disorder in patients with hypothyroidism: a register-based study. *Thyroid*, in press.
39. Hansen, H.V., Kessing, L.V. (2005) Behandlingsadhærens ved depressiv og bipolar affektiv lidelse. *Ugeskr. Læger* 167:1837-41.
40. Kessing, L.V. Gender differences in patients presenting with a single depressive episode according to ICD-10. *Soc Psychiatry Psychiatr Epidemiol*, in press.
41. Kessing, L.V. (2005) Diagnostic stability in bipolar disorder in clinical practice as according to ICD-10. *J Affect Disorders* 85, 293-299.
42. Kessing, L.V. (2005) Diagnostic stability in depressive disorder in clinical practice as according to ICD-10. *Psychopathology* 38, 32-7.
43. Kessing L.V. (2005) Severe brain pathology: Underdiagnosed in psychiatric patients? *Acta psychiatr Scand.*, 111, 396-7 (Invited comment).
44. Werge, T., Kessing L.K. Psykofarmakologi i et genomisk perspektiv. (2005). *Ugeskr. Læger* 167:2194-6.
45. Kessing, L.V., Hansen, H.V., Demyttenaere, K., Bech, P. (2005) Depressive and bipolar disorders - patients' attitudes and beliefs on depression and antidepressants. *Psychol Medicine*, 35:1205-13.
46. Thompsen, A.F., Kvist, K., Andersen, P.K., Kessing, L.V. (2005) Increased risk of affective disorder following hospitalisation with hyperthyroidism. *Euro J Endocrinology* 152: 535-43.
47. Kessing, L. V., Søndergård, L., Kvist, K., Andersen, P.K. (2005) Suicide risk in patients treated with lithium. *Arch Gen Psychiatry* 62: 860-6.
48. Thompsen, A.F., Kvist, K., Andersen, P.K., Kessing, L.V. (2005) Increased Risk of Hyperthyroidism among Patients Hospitalized with Bipolar Disorder. *Bipolar Disorders*, in press.
49. Kessing, L.V., Hansen, H.V., Bech, P. (2005) General health and well-being in out-patients with depressive and bipolar disorders. *Nordic J Psychiatry*, in press.
50. Christensen, M.V., Kessing, L.V. (2005) Clinical use of coping in affective disorder, a critical review of the literature. *Clinical Practice and Epidemiology in Mental Health*, in press.
51. Kessing, L.V., Andersen, P.K. (2005) Predictive effects of previous episodes on the risk of recurrence in depressive and bipolar disorders. *Current Psychiatry Reports*, in press.
52. Brandt-Christensen, M., Kvist, K., Andersen, P.K., Kessing, L.V. (2005) The use of anti-parkinson drugs in Denmark. *Movement Disorders*, in press.

53. Bech, P., Hansen, H.V., Kessing, L.V. The internalising and externalising dimensions of affective symptoms in depressed (unipolar) and bipolar patients. *Psychotherapy and Psychosomatics*, in press.
54. Kessing, L. V. (2005) Diagnostic subtypes of bipolar disorder in older versus younger adults. *Bipolar Disorders*, in press.
55. Lindberg C, Koefoed P, Hansen ES, Bolwig TG., Rehfeld JF, Mellerup E, Jørgensen OS, Kessing LV, Werge T, Knudsen GM, Woldbye DPD No association between the –399 C>T polymorphism of the neuropeptide Y gene and schizophrenia, major depression or panic disorder in a Danish population. *Acta Psychiatr Scand* (In press)
56. Hejl AM, Hording M, Hasselbalch, E, Dam H, Hemmingsen R, Waldemar G. Psychiatric morbidity in a neurology-based memory clinic: the effect of systematic psychiatric evaluation. *J Am Geriatr Soc* 2003; 51: 1773-8.
57. Rasmussen A, Christensen J, Clemmensen PM, Dalsgaard NJ, Dam H, Hindberg I, Lunde M, Plenge P, Mellerup E. Platelet serotonin transporter in stroke patients. *Acta Neurol Scand* 2003; 107: 150-3.
58. Martiny K, Lunde M, Undén M, Dam H, Bech P. Adjunctive bright light in non-seasonal major depression: results from patient-reported symptom and well-being scales. *Acta Psychiatr Scand* 2005: 111: 453-9.
59. Martiny K, Lunde M, Undén M, Dam H, Bech P. Adjunctive bright light in non-seasonal major depression: results from clinician-rated depression scales. *Acta Psychiatr Scand* 2005: 112: 117-25.
60. Liptrot M., Adams K.H., Martiny L., Pinborg L.H., Lonsdale M.N., Olsen N.V., Holm S., Svarer C., Knudsen G.M.: Cluster analysis in kinetic modelling of the brain: a noninvasive alternative to arterial sampling. *Neuroimage* Vol. 21, no. 2, s. 483-93. 2004.
61. Mellerup E.T., Kristensen F.: Mania as a dysfunction of reentry: application of Edelman's and Tononis hypothesis for consciousness in relation to a psychiatric disorder. *Med. Hypotheses*. Vol. 63, no. 3, s. 464-6. 2004.
62. Mogensen J., Lauritsen K.T., Elvertorp S., Hasman A., Moustgaard A., Wörtwein G.: Place learning and object recognition by rats subjected to transection of the fimbria-fornix and/or ablation of the prefrontal cortex. *Brain.Res.Bull.* Vol. 63, no. 3, s. 217-36. 2004.
63. Mogensen J., Miskowiak K., Sørensen T.A., Lind C.T., Olsen N.V., Springborg J.B., Mala H.: Erythropoietin improves place learning in fimbria-fornix-transected rats and modifies the search pattern of normal rats. *Pharmacol.Biochem.Behav.* Vol. 77, no. 2, s. 381-90. 2004.
64. Nedergaard P., Sanchez C., Mellerup E.T.: Different roles of 5-HT_{2A} and 5-HT_{2C} receptors in regulation of female rat paced mating behavior. *Behav.Brain.Res.* Vol. 149, no. 2, s. 151-7. 2004.
65. Springborg J.B., Sonne B., Frederiksen H-J., Foldager N., Poulsgaard L., Klausen T., Jørgensen O.S., Olsen N.V.: Erythropoietin in the cerebrospinal fluid of patients with

aneurysmal subarachnoid haemorrhage originates from the brain. *Brain Research* Vol. 984, s. 143-48. 2003.

66. Woldbye D.P.D., Kokaia M.: Neuropeptide Y and seizures: effects of exogenously applied ligands. *Neuropeptides* Vol. 38, no.4, s. 253-60. 2004.
67. Altar C.A., Whitehead R.E., Chen R., Wörtwein G., Madsen T.M.: Effects of electroconvulsive seizures and antidepressant drugs on brain-derived neurotrophic factor protein in rat brain. *Biol.Psychiatry* Vol. 54, no. 7, s. 703-9. 2003.
68. Mogensen J., Montero A., Wörtwein G.: Analysis of response patterns during prefrontally ablated rats acquisition of an egocentric spatial task in an 8-arm radialmaze. *Homeostasis* Vol. 42, no.1-2, s. 52-59. 2003.
69. Mogensen J., Svendsen G., Tølbøll Lauritsen K., Ermens P., Hasman A., Elvertorp S., Plenge P.K., Mellerup E.T., Wörtwein G.: Associative and nonassociative learning after chronic imipramine in rats. *Pharmacology, biochemistry and behavior* Vol. 76, s. 197-212. 2003.
70. Mogensen J., Wörtwein G., Plenge P.K., Mellerup E.T.: Serotonin, locomotion, exploration, and place recall in the rat. *Pharmacology, biochemistry and behavior* Vol. 75, s. 381-95. 2003.
71. Nedergaard P., Sanchez C., Mellerup E.T.: Different roles of 5-HT_{2A} and 5-HT_{2c} receptors in regulation of female rat paced mating behavior. *Behavioural Brain Research* (findes kun online), 2003.
72. Plenge P.K., Mellerup E.T.: Pindolol and the acceleration of the antidepressant response. *J. Affective Disorders* Vol. 75, s. 285-9. 2003.
73. Rasmussen A., Christensen J., Clemmensen P.M., Dalsgaard N.J., Dam H.O., Hindberg I., Lunde M., Plenge P.K., Mellerup E.T.: Platelet serotonin transporter in stroke patients. *Acta Neurol Scand* Vol. 107, s. 150-3. 2003.
74. Skråep Nielsen A., Ravid R., Kamphorst W., Jørgensen O.S.: Apolipoprotein E 4 in an autopsy series of various dementing disorders. *J. Alzheimers Disease* Vol. 5, s. 119-25. 2003.
75. Larsen, P.J., Seier, V, Fink-Jensen, A., Holst, J.J., Warberg, J., Vrang,N. (2003) Cocaine- and amphetamine-regulated transcript is present in hypothalamic neuroendocrine neurones and is released to the hypothalamic-pituitary portal circuit. *Journal of Neuroendocrinol.* 15 (3), 219-226.
76. Andersen, M., Fink-Jensen, A., Peacock, L., Gerlach, J., Bymaster, F.P., Lundbaek, J.A., Werge, T. (2003) The muscarinic M1/M4 receptor agonist xanomeline exhibits antipsychotic-like activity in *Cebus apella* monkeys. *Neuropsychopharmacol.* 28 (6), 1168-1175.
77. Brandt-Christensen, M., Andersen, M.B., Fink-Jensen, A., Werge, T., Gerlach, J. (2005) The substituted (S)-3-phenylpiperidine (-)-OSU6162 reduces apomorphine- and

amphetamine-induced behaviour in *Cebus apella* monkeys. *J Neural Transm.* 2005 Mar 30 (Epub ahead of print)

78. Thomsen M, Woldbye DPD, Wörtwein G, Fink-Jensen A., Wess J, and Caine SB (2005) Reduced cocaine self-administration in muscarinic M5 acetylcholine receptor-deficient mice, *J. Neurosci* 25:8141-8149.
79. Giraldi A, Marson L, Nappi R, Pfaus J, Traish AM, Vardi Y and Goldstein I. Physiology of female sexual function: Animal models. *Journal of Sexual Medicine* 2004;1:237-253
80. Richel K, Kristensen E. Educating sexologists in a Danish University Hospital according to the common Nordic educational programme. *Sexual and Relationship Therapy.* 2005;20:71-82
81. Gregersen, N, Hilman, CB, Jensen, P & Giraldi, A. Seksuel dysfunktion hos postmenopausale kvinder og behandling deraf (Danish). *Ugeskrift for Læger*, 2005 (in press)
82. Kristensen E, Lau M. Women with a history of childhood sexual abuse. Long-term social and psychiatric aspects. *Nordic Journal of Psychiatry.* Accepted for publication 2005
83. Grunze H, Kasper S, Goodwin G, et al. World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for biological treatment of bipolar disorders, Part II: treatment of bipolar depression. *World Biol Psychiatry* 2003;4:5-13.
84. Poulsen HD, Lublin H. Efavirenz-induced psychosis leading to involuntary detention. *AIDS* 2003;17:451-453.
85. Elming Sonne J, Lublin H. The importance of the QT interval: a review of the literature. *Acta Psychiatr Scand* 2003;107:96-101.
86. Soholm B, Lublin H. Long-term effectiveness of risperidone and olanzapine in resistant or intolerant schizophrenic patients. A mirror study. *Acta Psychiatr Scand* 2003;107:344-350.
87. Lublin H. Ziprasidon. Et nyt 2.-generations-antipsykotikum. *Ugeskr Laeger* 2004;166:1334-1339.
88. Poulsen UJ, Lublin H. Letal diabetisk ketoacidose hos skizofren patient. *Ugeskr Laeger* 2004;166:3003-4.
89. Poulsen UJ, Breum L, Lublin H. Diabetes som, komplikation til behandling med anden-generations-antipsykotika. *Ugeskr Laeger* 2004;166:2977-9.
90. Sørensen HJ, Jepsen PW, Haastrup S, Juel K. Drug-use pattern, comorbid psychosis and mortality in people with a history of opioid addiction. *Acta Psychiatr Scand* 2005;111:244-9.
91. Rosenbaum B, Valbak K, Harder S, Knudsen P, Koster A, Lajer M, Lindhardt A, Winther G, Petersen L, Jorgensen P, Nordentoft M, Andreasen AH. The Danish National Schizophrenia Project: prospective, comparative longitudinal treatment study of first-episode psychosis. *Br J Psychiatry.* 2005;186:394-9.

92. Psychiatric patients' perception of shielded units.[Article in Danish].
Poulsen HD, Sondergard L, Hansen C, Lindhardt A. Ugeskr Laeger. 2005, 167:509-13.

Psykiatrisk Center Bispebjerg

1. Andersen HS, Sestoft D, Lillebæk T, Gabrielsen G, Hemmingsen R. A longitudinal study of prisoners on remand: repeated measures of psychopathology in the initial phase of solitary versus nonsolitary confinement. *Int. J Law Psychiatry*; 2003; 26 (2): 165-77.
2. Arnfred SM, Chen ACN, Glenthøj BY, Hemmingsen R. Gating in un-medicated Schizophrenic Out-patients. *Amer J Psychiatry* 2003; 160: 2236-38.
3. Arnfred SM, Lind NM, Moustgaard A, Hansen AK, Gjedde A. Minipig Negative Slow Wave Demonstrate Target/non-target Difference in P300 Paradigm. *NeuroImage*, 2003; 20: 587-90.
4. Arnfred SM, Lind NM, Hansen AK, Hemmingsen RP. Pre-pulse inhibition of the acoustic startle eye-blink in the Gottingen minipig. *Behav Brain Res*. 2004;151(1-2):295-301.
5. Fagerlund B, Mackeprang T †, Gade A, Hemmingsen R, Glenthøj BY. Effects of low-dose risperidone and low-dose zuclopenthixol on cognitive functions in first-episode drug-naïve schizophrenic patients. *CNS Spectrums* 2004;9:364-74.
6. Fagerlund B, Pagsberg K, Mackeprang T †, Gade A, Hemmingsen R, Glenthøj B. Impact of age of onset on executive functions, attention, and reaction time: A study of cognitive functions in first-episode psychotic children and schizophrenic adults. *Biological Psychiatry* 2004;55:194S
7. Fagerlund B. Cognitive assessment of schizophrenia patients in clinical practice. *Adv Schizophr Clin Psychiatry* 2004;1(3):85-92.
8. Falgaard Eplov LF, Jorgensen T, Birket-Smith M, Segel S, Johansen C, Mortensen EL. Mental vulnerability as a predictor of early mortality. *Epidemiology* 2005;16:226-32
9. Falgaard Eplov L, Jorgensen T, Birket-Smith M, Petersen J, Johansen C, Mortensen EL. Mental vulnerability- a risk factor for ischemic heart disease. *J Psychosom Res* (in press)
10. Falkai P, Wobrock T, Lieberman J, Glenthøj B, Gattaz WF, Möller HJ, WFSBP Task Force on Treatment Guidelines for Schizophrenia. World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Schizophrenia, Part 1: Acute Treatment of Schizophrenia. *World J Biological Psychiatry* 2005; 6(3):132-191.
11. Flagstad P, Glenthøj BY, Didriksen M. Cognitive deficits caused by late gestational disruption of neurogenesis in rats; a preclinical model of schizophrenia. *Neuropsychopharmacology* 2004;29(11):2052-64.

12. Flagstad P, Mork A, Glenthøj BY, Van Beek J, Michael-Titus AT, Didriksen M. Disruption of neurogenesis on gestational day 17 in the rat causes behavioral changes relevant to positive and negative schizophrenia symptoms and alters amphetamine-induced dopamine release in nucleus accumbens. *Neuropsychopharmacology*. 2004;29:2052-64.
13. Flagstad P, Glenthøj BY, Didriksen M. Cognitive deficits caused by late gestational disruption of neurogenesis in rats; a preclinical model of schizophrenia. *Neuropsychopharmacology* 2005; 30(2):250-260.
14. Hejl AM, Glenthøj B, Mackeprang T †, Hemmingsen R, Waldemar G. Prepulse inhibition in patients with Alzheimer's disease. *Neurobiol Aging* 2004;25(8):1045-50.
15. Jelsing J, Olsen AK, Cumming P, Gjedde A, Hansen AK, Arnfred S, Hemmingsen R, Pakkenberg B (2005) A volumetric screening procedure for the Gottingen minipig brain. *Exp Brain Res* 162: 428-435
16. Jelsing J, Rostrup E, Markenroth K, Paulson OB, Gundersen HJ, Hemmingsen R, Pakkenberg B (2005) Assessment of in vivo MR imaging compared to physical sections in vitro--a quantitative study of brain volumes using stereology. *Neuroimage* 26: 57-65
17. Jeppesen P, Petersen L, Thorup A, Abel MB, Oehlenschlaeger J, Christensen TO, Krarup G, Hemmingsen R, Jorgensen P, Nordentoft M (2005) Integrated treatment of first-episode psychosis: effect of treatment on family burden: OPUS trial. *Br J Psychiatry* 187: s85-s90
18. Lind NM, Arnfred SM, Hemmingsen RP, Hansen AK. Prepulse inhibition of the acoustic startle reflex in pigs and its disruption by d-amphetamine. *Behav Brain Res*. 2004;155(2): 217-22.
19. McGorry P, Nordentoft M, Simonsen E (2005) Introduction to 'Early psychosis: a bridge to the future'. *Br J Psychiatry* 187: s1-s3
20. Moustgaard A, Arnfred SM, Lind NM, Hemmingsen R, Hansen AK (2005) Acquisition of visually guided conditional associative tasks in Gottingen minipigs. *Behav Processes* 68: 97-102
21. Moustgaard A, Arnfred SM, Lind NM, Hansen AK, Hemmingsen R. Discriminations, reversals, and extra-dimensional shifts in the Gottingen minipig. *Behav Processes*. 2004;67(1):27-37.
22. Nordentoft M, Laursen TM, Agerbo E, Qin P, Høyer EH, Mortensen PB. Change in suicide rates for patients with schizophrenia in Denmark, 1981-97: nested case-control study. *British Medical Journal* 2004;329:261-64.
23. Nordentoft M, Laursen TM, Agerbo E, Qin P, Høyer EH, Mortensen PB. Udvikling i selvmordshyppigheden for patienter med skizofreni fra 1981 til 1997. En nested case-control study. *Ugeskrift for Læger* 2004;166:4602-6.
24. Nordentoft M, Wandall-Holm N. 10 year follow up study of mortality among users of hostels for homeless people in Copenhagen. *BMJ*, 2003, 327: 81 – 3.

25. Nordentoft M. Afinstitutionalisering og kriminalitet blandt psykisk syge. (Deinstitutionalisation and criminality among mentally ill). *Ugeskrift for læger* 2003, 165: 2551.
26. Nordentoft M, Wandall-Holm N. 10 års opfølgingsundersøgelse af dødelighed blandt hjemløse på herberg i København. *Ugeskrift for Læger* 2004;166:1679-81.
27. Nordentoft M. Early Clinical Intervention and Prevention in Schizophrenia. *N Engl J Med* 2004;351:942-3
28. Nordentoft M, Branner J, Drejer K, Mejsholm B, Hansen H, Petersson B (2005a) Effect of a Suicide Prevention Centre for young people with suicidal behaviour in Copenhagen. *Eur Psychiatry* 20: 121-128
29. Nordentoft, M., Qin, P., Helweg-Larsen, K., and Juel, K. Time-trends in method-specific suicide rates compared with the availability of specific compounds. The Danish experience. *Nordic Journal of Psychiatry* . 2005. In press
30. Nordentoft M, Søgaard M (2005) Registration, psychiatric evaluation, and adherence to psychiatric treatment after suicide attempt. *Nord J Psychiatry* 59: 213-216
31. Nordentoft M, Petersen L, Jeppesen P, Thorup A, Abel M, Øhlenschläger J, Christensen TØ, Krarup G, Jørgensen P. OPUS: Randomiseret multicenter undersøgelse af integreret behandling sammenlignet med standardbehandling før første episode psykose *Ugeskrift for Læger* (in press)
32. Nordentoft M- Behandling efter selvmordsforsøg. Behov for behandlingsgaranti. *Ugeskrift for Læger* (in press)
33. Olsen L, Timm S, Wang AG, Soeby K, Jakobsen KD, Clemmensen S, Lokke A, Fossum M, Parnas J, Hemmingsen R, Rasmussen HB, Werge T. Association of the 120-bp duplication in the dopamine D4 receptor gene and schizophrenia in a sample of Danish subjects. *Schizophr Res.* 2005;73(1): 133-5.
34. Oranje B, Gispens-de Wied CC, Westenberg HG, Kemner C, Verbaten MN, Kahn RS. Increasing dopaminergic activity: effects of L-dopa and bromocriptine on human sensory gating. *J Psychopharmacol.* 2004;18(3):388-94.
35. Oranje B, Kahn RS, Kemner C, Verbaten MN. Modulating sensorimotor gating in healthy volunteers: the effects of desipramine and haloperidol. *Psychiatry Res.* 2004;127(3):195-205.
36. Osler M, Nordentoft M, Andersen AM (2005) Birth dimensions and risk of depression in adulthood: cohort study of Danish men born in 1953. *Br J Psychiatry* 186: 400-403
37. Osler M, Andersen AMN, Nordentoft M. Childhood social environment and risk of drug and alcohol abuse in adult age: a cohort study of Danish men born in 1953. *Am J Epidemiology*, in press
38. Petersen L, Jeppesen P, Thorup A, Abel MB, Ohlenschlaeger J, Christensen TO, Krarup G, Jørgensen P, Nordentoft M (2005a) A randomised multicentre trial of integrated versus standard treatment for patients with a first episode of psychotic illness. *BMJ* 331: 602

39. Petersen L, Nordentoft M, Jeppesen P, Ohlenschlaeger J, Thorup A, Christensen TO, Krarup G, Dahlstrom J, Haastrup B, Jorgensen P (2005b) Improving 1-year outcome in first-episode psychosis: OPUS trial. *Br J Psychiatry* 187: s98-s103
40. Qin P, Nordentoft M (2005) Suicide risk in relation to psychiatric hospitalization: evidence based on longitudinal registers. *Arch Gen Psychiatry* 62: 427-432
41. Rasmussen A, Birket-Smith M. Psykologisk intervention ved koronarsygdom. *Ugeskr Læger* 2005;167:3491-3
42. Rasmussen A, Christensen J, Clemmensen PM, Dalsgaard NJ, Dam H, Hindberg I, Lunde M, Plenge P, Møllerup E. Platelet serotonin transporter in stroke patients. *Acta Neurol. Scand.* 2003;107;2: 150-3.
43. Rasmussen A, Lunde M, Poulsen DL, Sørensen K, Qvitzau S, Bech P. A double-blind, placebo-controlled study of sertraline in the prevention of depression in stroke patients. *Psychosomatics.* 2003; 44(3):215-21.
44. Rosenbaum B, Valbak K, Harder S, Knudsen P, Koster A, Lajer M, Lindhardt A, Winther G, Petersen L, Jorgensen P, Nordentoft M, Andreasen AH (2005) The Danish National Schizophrenia Project: prospective, comparative longitudinal treatment study of first-episode psychosis. *Br J Psychiatry* 186: 394-399
45. Thorup A, Petersen L, Jeppesen P, Ohlenschlaeger J, Christensen T, Krarup G, Jorgensen P, Nordentoft M (2005) Integrated treatment ameliorates negative symptoms in first episode psychosis-results from the Danish OPUS trial. *Schizophr Res* 79: 95-105
46. Wattar U, Sørensen P, Buemann I, Birket-Smith M, Salkovskis PM, Albertsen M, Strange S. Outcome of cognitive-behavioural treatment for health anxiety (hypochondriasis) in a routine clinical setting. *Behav Cognitive Psychother* 2005;33:165-175.
47. Lind NM, Gjedde A, Moustgaard A, Olsen AK, Jensen SB, Jakobsen S, et al. Behavioral response to novelty correlates with dopamine receptor availability in striatum of Gottingen minipigs. *Behav Brain Res* 2005 Nov 7;164(2):172-7.
48. Jelsing J, Rostrup E, Markenroth K, Paulson OB, Gundersen HJ, Hemmingsen R, et al. Assessment of in vivo MR imaging compared to physical sections in vitro--a quantitative study of brain volumes using stereology. *Neuroimage* 2005 May 15;26(1):57-65.
49. Lind NM, Vinther M, Hemmingsen RP, Hansen AK. Validation of a digital video tracking system for recording pig locomotor behaviour. *J Neurosci Methods* 2005 Apr 30;143(2):123-32.
50. Lind NM, Olsen AK, Moustgaard A, Jensen SB, Jakobsen S, Hansen AK, et al. Mapping the amphetamine-evoked dopamine release in the brain of the Gottingen minipig. *Brain Res Bull* 2005 Feb 15;65(1):1-9.
51. Lind NM, Arnfred SM, Hemmingsen RP, Hansen AK. Prepulse inhibition of the acoustic startle reflex in pigs and its disruption by d-amphetamine. *Behav Brain Res* 2004 Dec 6;155(2):217-22.

52. Hejl AM, Glenthøj B, Mackeprang T, Hemmingsen R, Waldemar G. Prepulse inhibition in patients with Alzheimer's disease. *Neurobiol Aging* 2004 Sep;25(8):1045-50.
53. Hejl AM, Hording M, Hasselbalch E, Dam H, Hemmingsen R, Waldemar G. Psychiatric morbidity in a neurology-based memory clinic: the effect of systematic psychiatric evaluation. *J Am Geriatr Soc* 2003 Dec;51(12):1773-8.
54. Arnfred SM, Chen AC, Glenthøj BY, Hemmingsen RP. Normal p50 gating in unmedicated schizophrenia outpatients. *Am J Psychiatry* 2003 Dec;160(12):2236-8.

Psykiatrisk Center Hvidovre

1. Carter JW, Schulsinger F, Parnas J, Cannon T, Mednick SA. A multivariate prediction model of schizophrenia. *Schizophrenia Bulletin*, 2003, 28(4): 649-82.
2. Innocenti G, Ansermet F, Parnas J. Schizophrenia, neurodevelopment and corpus callosum. *Molecular Psychiatry*. 2003; 8: 261-174.
3. Zahavi D, Parnas J. Conceptual issues in the study of infantile autism: Why cognitive science needs phenomenology. *J Consciousness Studies*, 2003, 10/9: 53-71.
4. Parnas J, Handest P. Phenomenology of anomalous self-experience in early schizophrenia. *Comprehensive Psychiatry*, 2003, 44: 121-134.
5. Sass L, Parnas J. Self, consciousness, and schizophrenia. *Schizophr Bull* 2003; 29/3: 427-444.
6. Parnas J, Handest P, Sæbye D, Jansson L. Anomalies of subjective experience in schizophrenia and psychotic bipolar illness. *Acta Psychiatrica Scandinavica*. 2003, 108:126-133.
7. Arnfred, SM, Lind, N M, Gjedde, A, Hansen Kornerup A. 2004. Scalp recordings of mid-latency AEP, SEP and auditory gating in the Göttingen minipig: A new animal model in information processing research. *International Journal of Psychophysiology*, 52: 267-275
8. Arnfred S. M. and Chen A.C.N. 2004. Exploration of somatosensory P50 Gating in Schizophrenia spectrum patients: reduced P50 amplitude correlates to social anhedonia. *Psychiatry Research*, 125, 2, 147-160
9. Palmatier, M.A., Pakstis, A.J., Speed, W., Paschou, P., Goldman, D., Odunsi, A., Okonofua, F., Kajuna, S., Karoma, N., Kungulilo, S., Grigorenko, E., Zhukova, O.V., Bonne-Tamir, B., Lu, R.B., Parnas, J., Kidd, J.R., DeMille, M.M., Kidd, K.K.: (2004) COMT haplotypes suggest P2 promoter region relevance for schizophrenia." *Molecular Psychiatry*, 9: 859-870.
10. Matthyse, S., Holzman, P.S., Gusella, J.F., Levy, D.L., Harte, C.B., Jørgensen, Å., Møller, L., Parnas, J (2004) Linkage of eye movement dysfunction to chromosome 6p in

schizophrenia. Additional evidence. *American Journal of Medical Genetics*, 128B/1, 30-36.

11. Parnas, J. (2004) Belief and pathology of self-awareness: A phenomenological contribution to the classification of delusions. *Journal of Consciousness Studies*, 10-11: 148-161.
12. Handest P, Parnas J. (2005) Clinical characteristics of first-admitted patients with ICD-10 schizotypal disorder. *British J Psychiatry*, 187 (48): 49-54.
13. Parnas J (2005) Clinical detection of schizophrenia-prone individuals. Critical appraisal. *British J Psychiatry*, 187 (48): 111-112.
14. Parnas J, Handest P (2005) Troubles de la conscience de soi: importance pathogénétique et clinique dans la schizophrénie débutante. *Psychiatrie, Sciences Humaines, Neurosciences*. Vol. III, supplement 1, 16-28.
15. Parnas J, Moeller P, Kircher T, Thalbitzer J, Jansson L, Handest P, Zahavi D. (2005) EASE: Examination of Anomalous Self-experience. *Psychopathology*. 38 (5): 236-258.
16. Parnas J, Handest P, Jansson L, Sæbye D. (2005) Anomalous subjective experience among first admitted schizophrenia spectrum patients: Empirical investigation. *Psychopathology*. 38 (5): 259-267.
17. Olsen, L., et al, Parnas, J., Hemmingsen, R., Rasmussen, H.B., Werge, T. Association of the 120-bp duplication in the dopamine receptor gene and schizophrenia in a sample of Danish subjects. *Schiz Res*, 2005, 73 (1): 133-5.
18. Væver, M.S., Licht, D.M., Møller, L., Perl, D., Jorgensen, A., Handest, P., Parnas, J. Thinking within the spectrum: Schizophrenic thought disorder in six Danish pedigrees. *Schiz Res*, 2005, 72: (2-3), 137-149.
19. Arnfred SM. 2005. Proprioceptive Event Related Potentials: Gating and task effects. *Clinical Neurophysiology*, 116, (4): 849-860.
20. Jakobsen KD, Frederiksen JN, Hansen T, Jansson LB, Parnas J, Werge T. Reliability of clinical ICD-10 schizophrenia diagnoses. *Nord J Psychiatry* 2005; 59: 209-212.
21. Jakobsen KD, Frederiksen JN, Parnas J, Werge T. Diagnostic agreement of schizophrenia spectrum disorders among chronic patients with functional psychoses. *Psychopathology*; in press.
22. Mørup M., Hansen, L.K., Herrmann C. S., Parnas J., Arnfred S.M. Parallel factor analysis as an exploratory tool for wavelet transformed event related EEG. *Neuroimage*, in press
23. Vollmer-Larsen A, Jacobsen T, Hemmingsen R, Parnas J. Clinical reliability of Schizo-affective disorders. *Acta Psychiatrica Scandinavica*, in press.

Psykiatrisk Center Amager

1. Hansen PE, Wang AG, Stage KB, Kragh-Sørensen P, Group DUAG. Comorbid personality disorder predicts suicide after major depression: a 10-year follow-up. *Acta Psychiatr Scand* 2003; 107:436-440
2. Sørensen HJ, Mortensen EL, Reinisch JM, Mednick SA. Do hypertension and diuretic treatment in pregnancy increase the risk of schizophrenia in offspring? *Am J Psychiatry* 2003; 160:425-429
3. Als TD, Dahl HA, Flint TJ, Wang AG, Vang M, Mors O, Kruse TA, Ewald H. Possible evidence for a common risk locus for bipolar affective disorder and schizophrenia on chromosome 4p16 in patients from the Faroe Islands. *Mol Psychiatry* 2004; 9:93-98
4. Jørgensen TH, Buttenschon HN, Wang AG, Als TD, Borglum AD, Ewald H. The origin of the isolated population of the Faroe Islands investigated using Y chromosomal markers. *Hum Genet* 2004; 115:19-28
3. Schiffman J, Lam CW, Jiwatram T, Ekstrøm M, Sørensen HJ, Mednick SA. Perspective-taking deficits in people with schizophrenia spectrum disorders: a prospective investigation. *Psychol Med* 2004; 34:1581-1586
5. Schiffman J, Walker E, Ekstrøm M, Schulsinger F, Sørensen HJ, Mednick SA. Childhood videotaped social and neuromotor precursors of schizophrenia: a prospective investigation. *Am J Psychiatry* 2004; 161:2021-2027
6. Sørensen HJ, Mortensen EL, Reinisch JM, Mednick SA. Association between prenatal exposure to analgesics and risk of schizophrenia. *Br J Psychiatry* 2004; 185:366-371
7. Møllerup E, Kristensen F. Mania as a dysfunction of reentry: application of Edelman's and Tononi's hypothesis for consciousness in relation to psychiatric disorder. *Med Hypotheses*. 2004;63(3):464-6.
8. Hvid M, Wang AG: Attempted suicide. Registration, assessment and treatment modalities. A quantitative investigation before a quality development project. *Ugeskr Laeger* 2005; 167:47-50
9. Olsen L, Timm S, Wang AG, Soeby K, Jakobsen KDea. Association of the 120-bp duplication in the dopamine D4 receptor and schizophrenia in a sample of Danish subjects. *Schizophrenia research* 2005; 73:133-135.
10. Rosenbaum B, Valbak K, Harder S, Knudsen P, Køster A, Lajer M, Lindhardt Aea. The Danish National Schizophrenia project: prospective, comparative longitudinal treatment study of first-episode psychosis. *Br J Psychiatry* 2005; 186:394-399
11. Schiffman J, Pestle S, Mednick S, Ekstrøm M, Sørensen HJ, Mednick SA. Childhood laterality and adult schizophrenia spectrum disorders: a prospective investigation. *Schizophrenia research* 2005; 72:151-160

12. Sørensen HJ, Jepsen PW, Haastrup S, Juel K. Drug-use pattern, comorbid psychosis and mortality in people with a history of opioid addiction. *Acta Psychiatr Scand* 2005; 111:244-249
13. Sørensen HJ, Mortensen E, Reinisch J, SA M. Breastfeeding and risk of schizophrenia in the Copenhagen Perinatal Cohort. *Acta Psychiatr Scand* 2005; 112:26-29
14. Hansen B, Sørensen HJ, Aggernæs KH. Patienttilfredshed på psykiatrisk afdeling, Amager Hospital 2000 og 2003. *Ugeskr Laeger* (in press);
15. Mortensen EL, Sørensen HJ, Jensen HH, Reinisch JM, Mednick SA. IQ and risk of mental disorder in young men. *Br J Psychiatry* (in press) 2005

16. Schiffman J, Maeda J, Hayashi K, Michelsen N, H. S, Ekstrom M, Abe K, Chronicle E, Mednick S. Premorbid childhood ocular-alignment abnormalities and adult schizophrenia spectrum disorder. *Schizophrenia research* (in press);
17. Sørensen HJ, Mortensen EL, Reinisch JM, Mednick SA. Early weaning and psychiatric hospitalization with alcohol-related diagnosis. *American Journal of Psychiatry* (in press)
18. Lauritsen MB, Als TD, Dahl HA, Flint TJ, Wang AG, Vang M, Kruse TA, Ewald H, Mors O. A genome-wide search for alleles and haplotypes associated with autism and related pervasive developmental disorders on the Faroe Islands. *Mol Psychiatry* (in press) 2005
19. Rasmussen H, Timm S, Wang AG, Lublin H, Søbey K, Fenger M, Hemmingsen RP, Werge T. Association between the chemokine receptor type 5 (CCR5) 32-nucleotide deletion allele and late onset of schizophrenia. *Am J Psychiatry* (in press)
20. Wang AG, Mortensen G. Core features of attempted suicide. *Social Psychiatric and Psychiatric Epidemiology* (in press)

Psykiatrisk Center Frederiksberg

1. Bent-Hansen J, Lunde M, Klysner R, Andersen M, Tanghøj P, Solstad K, Bech P. The validity of the depression rating scales in discriminating between citalopram and placebo in depression recurrence in the maintenance therapy of elderly unipolar patients with major depression. *Pharmacopsychiatry* 2003;36:313-6.
2. Martiny K, Lunde M, Simonsen C, Clemmensen L, Poulsen DL, Solstad K, Bech P. Relapse prevention by citalopram in SAD patients responding to 1 week of light therapy. A placebo-controlled study. *Acta Psychiatr Scand* 2004;109:230-4.
3. Rasmussen A, Lunde M, Poulsen DL, Sørensen K, Qvitzau S, Bech P. A double-blind, placebocontrolled study of sertraline in the prevention of depression in stroke patients. *Psychosomatics* 2003;44:216-21.
4. Olsen L, Timm S, Wang AG, Soeby K, Jakobsen KD, Clemmensen S, Lokke A, Fossum M, Parnas J, Hemmingsen R, Rasmussen HB, Werge T. Association of the 120-bp duplication in the dopamine D4 receptor gene and schizophrenia in a sample of Danish subjects. *Schizophr Res.* 2005 Feb 1;73(1):133-5.

Psykiatrisk Center Sct. Hans

1. Brandt-Christensen M, Andersen MB, Fink-Jensen A, Werge T, Gerlach J. The substituted (S)-3-phenylpiperidine (-)-OSU6162 reduces apomorphine- and amphetamine-induced behaviour in *Cebus apella* monkeys. *J Neural Transm* 2005 Mar 30;.

2. Bredkjaer SR, Jorgensen P. [Psychiatry--prevention and specializing. Danish Society of Psychiatry]. *Ugeskr Laeger* 2005 Mar 21;167(12-13):1402.
3. Hougaard KS, Andersen MB, Hansen AM, Hass U, Werge T, Lund SP. Effects of prenatal exposure to chronic mild stress and toluene in rats. *Neurotoxicol Teratol* 2005 Jan;27(1):153-67.
4. Hougaard KS, Andersen MB, Kjaer SL, Hansen AM, Werge T, Lund SP. Prenatal stress may increase vulnerability to life events: comparison with the effects of prenatal dexamethasone. *Brain Res Dev Brain Res* 2005 Sep 8;159(1):55-63.
5. Jakobsen KD, Frederiksen JN, Hansen T, Jansson LB, Parnas J, Werge T. Reliability of clinical ICD-10 schizophrenia diagnoses. *Nord J Psychiatry* 2005;59(3):209-12.
6. Rasmussen HB, Werge T. Genotyping of the 19-bp insertion/deletion polymorphism in the 5' flank of beta-hydroxylase gene by dissociation analysis of allele-specific PCR products. *Clin Chem Lab Med* 2005;43(9):903-6.
7. Soeby K, Larsen SA, Olsen L, Rasmussen HB, Werge T. Serotonin transporter: evolution and impact of polymorphic transcriptional regulation. *Am J Med Genet B Neuropsychiatr Genet* 2005 Jul 5;136(1):53-7.
8. Werge T, Kessing LV. [Psychopharmacology in a genomic perspective]. *Ugeskr Laeger* 2005 May 16;167(20):2194-6.
9. Malik P, Andersen MB, Peacock L. The effects of dopamine D3 agonists and antagonists in a nonhuman primate model of tardive dyskinesia. *Pharmacol Biochem Behav* 2004 Aug;78(4):805-10.
10. Sandager-Nielsen K, Andersen MB, Sager TN, Werge T, Scheel-Kruger J. Effects of postnatal anoxia on striatal dopamine metabolism and prepulse inhibition in rats. *Pharmacol Biochem Behav* 2004 Apr;77(4):767-74.
11. Van OJ, Altamura AC, Bobes J, Gerlach J, Hellewell JS, Kasper S, et al. Evaluation of the Two-Way Communication Checklist as a clinical intervention. Results of a multinational, randomised controlled trial. *Br J Psychiatry* 2004 Jan;184:79-83.:79-83.
12. Andersen MB, Fink-Jensen A, Peacock L, Gerlach J, Bymaster F, Lundbaek JA, et al. The muscarinic M1/M4 receptor agonist xanomeline exhibits antipsychotic-like activity in *Cebus apella* monkeys. *Neuropsychopharmacology* 2003 Jun;28(6):1168-75.
13. Lundbaek JA, Andersen OS, Werge T, Nielsen C. Cholesterol-induced protein sorting: an analysis of energetic feasibility. *Biophys J* 2003 Mar;84(3):2080-9.
14. Werge T, Elbaek Z, Andersen MB, Lundbaek JA, Rasmussen HB. *Cebus apella*, a nonhuman primate highly susceptible to neuroleptic side effects, carries the GLY9 dopamine receptor D3 associated with tardive dyskinesia in humans. *Pharmacogenomics J* 2003;3(2):97-100.
15. Jakobsen KD, Frederiksen JN, Parnas J, Werge T. Diagnostic agreement of schizophrenia spectrum disorders among chronic patients with functional psychoses. *Psychopathology* (In press)

16. Rasmussen HB, Timm S, Wang AG, S eby K, Lublin H, Fenger M, Hemmingsen R, Werge T. Association between the CC-chemokine receptor type 5 (CCR5) 32-nucleotide deletion allele and late onset of schizophrenia. *American Journal of Psychiatry* (In press)
17. Rasmussen HB, Larsen SA, Mogensen L, Werge T. Identification and characterization of a tandem repeat in exon III of the dopamine receptor subtype 4 gene from different species of mammals. *DNA and Cell Biology* (In press)
18. Hougaard KS, Andersen MB, Kj er SL, Hansen  M, Werge T, Lund SP. Prenatal stress may increase vulnerability to life events. Comparison with the effects of prenatal dexamethasone. *Developmental Brain Research* 2005 (In press)
19. Madsen MV, Peacock L, Werge T, Andersen MB. Effect of the cannabinoid CB1 receptor agonist CP55,940 and CB1 receptor antagonist SR141716A on d-amphetamine-induced behaviour in *Cebus apella* monkeys *J Psychopharmacology* (In press)
20. Rasmussen HB, Werge T. Genotyping of the 19-bp insertion/deletion polymorphism in the 5' flank of the dopamine beta-hydroxylase gene by dissociation analysis of allele-specific PCR products. *Clinical Chemistry and Laboratory Medicine* (In press)
21. Lindberg C, Koefoed P, Hansen ES, Bolwig TG., Rehfeld JF, Mellerup E, J rgensen OS, Kessing LV, Werge T, Knudsen GM, Woldbye DPD No association between the –399 C>T polymorphism of the neuropeptide Y gene and schizophrenia, major depression or panic disorder in a Danish population. *Acta Psychiatr Scand* (In press)
22. Rasmussen HB, Bagger YZ, Tank  LB, Quin G, Christiansen C, Werge T. Cognitive impairment in elderly women: the relative contribution of selected genes, life style factors and comorbidities. *Neuropsychiatric Disease and Treatment* (In press)

Psykiatrisk Center Glostrup

1. Munkner R, Haastrup S, Joergensen T, Kramp P. The Temporal relationship between schizophrenia and crime. *Soc Psychiatry Psychiatr Epidemiol* 2003; 38: 347-53.
2. Rosenbaum, B. The Unconscious: How does it speak to us today? *Scand Review of Psychoanalysis* 2003; 26/1: 31-40.
3. Varvin S, Rosenbaum B. Extreme traumatisations: Strategies for mental survival. *International Forum for Psychoanalysis* 2003; 12: 5-16.
4.  stergaard P, Tind M. Psykiatrisk personales problemer med mundpleje. *Svensk Sjukhustandl kartidning* 2003; 28 (4): 12-4.

5. Olsen KA, Rosenbaum B. Intervention i præpsykotiske tilstande: En gennemgang af aktuell forskning og relaterede problemstillinger. *Nordisk Psykologi* 2004; 3: 178-200.
6. Rosenbaum B. Psychoanalysis and semiotics: the concept of Enunciation. *Psychoanalysis and Contemporary Thoughts*, 2004; 27/2
7. Valbak K, Rosenbaum B, Hougaard E. Suitability for psychodynamic psychotherapy: Validation of the Dynamic Assessment Interview (DAI). *Acta Psychiatrica Scandinavica* 2004; 109: 179-86.
8. Lublin H, Johansson J, Levander S. Current therapy issues and unmet clinical needs in the treatment of schizophrenia: a review of the atypical antipsychotics. *Int Clin Psychopharmacol.* 2005 Jul;20(4):183-98.
9. Olsen CE, Poulsen HD, Lublin H. Evidence-based drug therapy of dementia in the elderly. *Nordic J Psychiatry* 2005;59:71-77.
10. Rasmussen HB, Timm S, Wang AG, Søbey K, Lublin H, Fenger M, Hemmingsen R, Werge T. Association between the CC-chemokine receptor type 5 (CCR5) 32-nucleotide deletion allele and late onset of schizophrenia. *Am J Psychiatry*, 2005. in press
11. Rosenbaum B, Valbak K, Harder S, Knudsen P, Køster A, Lajer M, Lindhardt A, Winther G, Petersen L, Jørgensen P, Nordentoft M, Andreasen AH. The Danish National Schizophrenia Project: Prospective, comparative longitudinal treatment study of first-episode psychosis. *Brit J Psych* 2005; 186:394-9.
12. Olsen KA, Rosenbaum B. Prospective Investigations of the Prodromal State of Schizophrenia: Review of Studies. *Acta Psychiatrica Scand.*, 2005.
13. Olsen KA, Rosenbaum B. Prospective Investigations of the Prodromal State of Schizophrenia: Review of Scales and Instruments. *Acta Psychiatrica Scand.*, 2005.

Psykiatrisk Center Gentofte

1. Stage KB, Middelboe T, Pisinger C. Measurement of depression in patients with chronic obstructive pulmonary disease (COPD). *Nord J Psychiatry.* 2003;57(4):297-301.
2. Christensen EM, Larsen JK, Gjerris A. The stability of Seasonal Pattern Assessment Questionnaire score index over time and the validity compared to classification according to DSM-III-R. *J Affective Disord* 2003;74:167-172.
3. Christensen EM, Gjerris A, Larsen JK, Bendsen BB, Larsen BH, Rolff H, Ring G. Life events and onset of a new phase in bipolar affective disorder. *Bipolar Disord* 2003;5:356-61.

4. Mikkelsen RL, Middelboe T, Pisinger C, Stage KB. Anxiety and depression in patients with chronic obstructive pulmonary disease. *Nordic J Psychiatry* 2004;58;65-70.
5. Larsen JK, Faber J, Christensen EM, Bendsen BB, Solstad K, Siersbæk-Nielsen K, Gjerris A. Relationship between mood and TSH response to TRH stimulation in bipolar affective disorder. *Psychoneuroendocrinology* 2004;29:917-24.
6. Schiffman J, Walker E, Ekstrøm M, Schulsinger F, Sørensen H, Mednick, S: Childhood Videotaped Social and Neuromotor Precursors of Schizophrenia: A Prospective Investigation; *Am J Psychiatry* 2004; 161:2021-2027.
7. Hansson L, Sandlund M, Bengtsson-Tops A, Bjarnason O, Karlsson H, Mackeprang T, Merinder L, Nilsson L, Sørsgaard K, Vinding H, Middelboe T. The relationship of needs and quality of life in persons with schizophrenia living in the community. A Nordic multi-center study. *Nord J Psychiatry*. 2003;57 (1):5-11.
8. Schjødt T, Middelboe T, Mortensen EL, Gjerris A. Ward atmosphere in acute psychiatric in-patient care: differences and similarities between patient and staff perceptions. *Nord J Psychiatry*. 2003;57(3):215-20.
9. Sørsgaard KW, Sandlund M, Heikkilä J, Hansson L, Vinding HR, Bjarnason O, Bengtsson-Tops A, Merinder L, Nilsson L, Middelboe T. Schizophrenia and contact with health and social services: A Nordic multicentre study. *Nordic J Psychiatry* 2003; 57; 253-61.
10. Bengtsson-Tops A, Hansson L, Sandlund M, Bjarnason O, Korkeila J, Merinder L, Nilsson L, Sørsgaard K, Vinding H, Middelboe T. Subjective versus interviewer assessment of global quality of life among persons with schizophrenia living in the community: a multicentre study. *Quality of Life Research*, 2004.
11. Stage KB, Middelboe T, Pisinger C. Depression in chronic obstructive pulmonary disease (COPD). Impact on survival. *Acta Scandinavica Psychiatrica* 2005; 111: 320-23.

Psykoteraapeutisk Center Stolpegård

1. Waaddegaard M, Thoning H, Petersson BP. Validation of a screening instrument for identifying risk behaviour related to eating disorders. *European Eating Disorders Review* 2003;11:433-455.
2. Mosgaard J. De tre bølger i systemisk tænkning. *Systemisk Forum* 2003;3:7-13.
3. Mosgaard J. Psykoteraapeutiske dagsordener: Om respektfuld manipulation og etisk engagement. *Fokus på Familien* 2003;4(31):313-328.
4. Andersen S. Udvikling af den terapeutiske alliance – indførelsen af "den dialogiske komponent". *Fokus på Familien* 2003;4(31):264-277.

5. Rasmussen SAA. Det fjendtlige sprog – Refleksioner over udviklinger i psykiatrien. Fokus på Familien 2003;4(31):229-245.
6. Kristensen E, Lau M. Women with a History of Child Sexual Abuse. Social and Psychiatric Aspects. Nord J Psychiatry. (In press)

Psykiatrisk Center Ballerup

1. Ewald H, Flint TJ, Jørgensen TH, Wang AG, Jensen P, Vang M, Mors O & Kruse TA. Search for a shared segment on chromosome 10q26 in patients with bipolar affective disorder or schizophrenia from the Faroe Islands. American Journal of Medical Genetics, 2002; 114: 196-204,
2. Bjarke á Rogvi-Hansen, Anne Sabers & Per Jensen. Seksuel dysfunktion blandt epilepsipatienter. Statusartikel. Ugeskrift for Læger, 2002; 4791-4793.
3. Knop J, Penick EC, Jensen P, Nickel EJ, Gabrielli WF, Mednick SA & Schulsinger F. Risk factors that predicted problem drinking in Danish men at age thirty. Journal of Studies on Alcohol, 2003; 64: 745-755.
4. Knop J, Penick EC, L Mortensen E, Nickel EJ, Gabrielli WF, Jensen P, Mednick SA. Prediction of mortality at age 40 in Danish males at high and low risk for alcoholism. Acta Psychiatr Scand. 2004; 110: 476-82.
5. Manzardo AM, Penick EC, Knop J, Nickel EJ, Hall S, Jensen P, Gabrielli WF. Developmental differences in childhood motor coordination predict adult alcohol dependence: proposed role for the cerebellum in alcoholism. Alcohol Clin Exp Res. 2005; 29(3): 353-7.
6. Manzardo AM, Penick EC, Knop J, Nickel EJ, Hall S, Jensen P, Miller CC, Gabrielli WF. Neonatal Vitamin K might reduce vulnerability to alcohol dependence in Danish men. Journal of Studies on Alcohol 2005; 66: 586-592
7. Scherling, Annette & Nielsen, Helena Galina: Depression under svangerskab og efter fødsel. Ugeskrift for Læger, 2005; 1279.

Psykiatrisk Center Nordsjælland

1. Fountoulakis KN, Iacovides A, Kleanthous S, Samolis S, Gougoulia K, Kaprinis SG, Bech P. Reliability, validity and psychometric properties of the Greek translation of the Major

Depression Inventory. BMC Psychiatry 2003, 3:2 ,
<http://www.biomedcentral.com/bmcpyschiatr/>

2. Fountoulakis KN, Iacovides A, Kleanthous S, Samolis S, Gougoulas K, Tsiptsios I, Kaprinis GN, Bech P. Reliability, validity and psychometric properties of the Greek translation of the Major Depression Inventory. BMC Psychiatry 2003, 3:2 (29 Jan 2003).
<http://www.biomedcentral.com/1471-244X/3/2>.
3. Olsen LR, Jensen DV, Noerholm V, Martiny K, Bech P. The internal and external validity of the Major Depression Inventory in measuring severity of depressive states. Psychol Med 2003; 33, 351-356
4. Bech P, Moses R, Gomis R. The effect of prandial glucose regulation with repaglinide on treatment satisfaction, wellbeing and health status in patients with pharmacotherapy-naïve Type 2 diabetes: a placebo-controlled, multicentre study. Qual Life Res 2003; 12: 413-425
5. Bech P, Olsen RL, Kjoller M, Rasmussen NK. Measuring well-being rather than the absence of distress symptoms: a comparison of the SF-36 Mental Health subscale and the WHO-Five Well-Being Scale. Int J Meth Psychiatr Res 2003; 12: 85-91
6. Bech P. Commentary [to: Kocsis J et al. 18-month maintenance treatment with sertraline may have sustained psychosocial benefits in chronic depression, Arch Gen Psychiatry 2002; 59: 723-728]. Evidence-based Mental Health 2003; 6: 49
7. Bech P, Lucas M, Amir M, Bushnell D, Martin M, Buesching D, and the LIDO Group. Association between clinically depressed subgroups, type of treatment, and patient retention in the LIDO study. Psychol Med 2003; 33: 1051-1059
8. Bech P, Bille J, Schutze T, Sondergaard S, Wiese M, Waarst S. Health of the Nations Outcomes Scale (HoNOS): Implementability, subscale structure and responsiveness in the daily psychiatric hospital routine over the first 18 months. Nord J Psychiatry 2003; 57:285-290
9. Rasmussen A, Lunde M, Poulsen DL, Sørensen K, Qvitzau S, Bech P. A double-blind, placebo-controlled study in the prevention of depression in stroke patients. Psychosomatics 2003; 44: 216-221
10. Fountoulakis KN, Iacovides A, Kleanthous S, Samolis S, Gougoulas K, Kaprinis GN, Bech P. The Greek translation of the Symptoms Rating Scale for Depression and Anxiety: preliminary results of the validation study. BMC Psychiatry 2003, 3:21.
<http://www.biomedcentral.com/1471-244X/3/21>
11. Bent-Hansen J, Lunde M, Klysner R, Andersen M, Tanghøj P, Solstad K, Bech P. The validity of the depression rating scales in discriminating between citalopram and placebo in depression recurrence in the maintenance therapy of elderly unipolar patients with major depression. Pharmacopsychiatry 2003; 36: 313-316
12. Martiny K, Simonsen C, Lunde M, Clemmensen L, Bech P. Decreasing TSH levels in patients with Seasonal Affective Disorder (SAD) responding to one week of bright light therapy. J Aff Disorders 2004; 79: 253-257.
13. Olsen LR, Mortensen EL, Bech P. Prevalence of major depression and stress indicators in the Danish general population. Acta Psychiatr Scand. 2004;109:96-103

14. Martiny K, Lunde M, Simonsen C, Clemmensen L, Poulsen DL, Solstad K, Bech P. Relapse prevention by citalopram in SAD patients responding to 1 week of light therapy. A placebo-controlled study. *Acta Psychiatr Scand* 2004;109: 230-234
15. Noerholm V, Groenvold M, Watt T, Bjorner JB, Rasmussen N-A, Bech P. Quality of life in the Danish general population - normative data and validity of WHOQOL-BREF using Rasch and item response theory models. *Qual Lif Res* 2004; 13: 531-540
16. Fountoulakis KN, Iacovides A, Grammaticos P, Kaprinis GS, Bech P. Thyroid Function in Clinical Subtypes of Major Depression: an exploratory study. *BMC Psychiatry* 2004, 4:6. <http://www.biomedcentral.com/1471-244X/4/6>
17. Bech P. Measuring the dimensions of psychological general well-being by the WHO-5. *QoL Newsletter* 2004; 32: 15-16.
18. Martiny K, Simonsen C, Lunde M, Clemmensen L, Bech P. Decreasing TSH levels in patients with Seasonal Affective Disorder (SAD) responding to 1 week of bright light therapy. *J Affect Disord* 2004; 79: 253-257
19. Fountoulakis KN, Iacovides A, Fotiou F, Nimatoudis J, Bscialla F, Ioannidou C, Kaprinis G, Bech P. Neurobiological and psychological correlates of suicidal attempts and thoughts of death in patients with major depression. *Neuropsychobiology* 2004; 49: 42-52
20. Bech P, Tanghøj P, Cialdella P, Friis Andersen H, Pedersen AG. Escitalopram dose-response revisited: an alternative psychometric approach to evaluate clinical effects of escitalopram compared to citalopram and placebo in patients with major depression. *Int J Neuropsychopharmacol* 2004;7:283-290.
21. Hvass A-M, Juul S, Bech P, Nexø E. Vitamin B₆ level is associated with symptoms of depression. *Psychother Psychosom* 2004; 73: 340-343
22. Olsen LR, Mortensen EL, Bech P. The SCL-90 and SCL-90R versions validated by item response theory models in a Danish community sample. *Acta Psychiatr Scand* 2004: 110: 225-229
23. Martiny K, Lunde M, Undén M, Dam H, Bech P. Adjunctive bright light in non-seasonal major depression: Results from patient-reported symptom and well-being scales. *Acta Psychiatr Scand* 2005 Jun;111:453-459.
24. Sørensen S, Friis-Hasché, Haghfelt, Bech P. Postmyocardial infarction mortality in relation to depression: A systematical critical review. *Psychother Psychosom* 2005; 74: 69-80
25. Licht RW, Qvitzau S, Allerup P, Bech P. Validation of the Bech-Rafaelsen Melancholia Scale and the Hamilton Depression Scale in patients with major depression: is the total score a valid measure of illness severity? *Acta Psychiatr Scand* 2005; 111: 144-149
26. Sørensen C, Friis-Hasché E, Haghfelt T, Bech P. Postmyocardial infarction mortality in relation to depression: a systematic critical review. *Psychother Psychosom* 2005; 74: 69-80
27. Sørensen C, Brandes A, Hendricks O, Thrane J, Friis-Hasché E, Haghfelt T, Bech P. Psychosocial predictors of depression in patients with acute coronary syndrome. *Acta Psychiatr Scand* 2005; 111: 116-124

28. Bech P. Social functioning. Should it become an endpoint in trials of antidepressants? Review article. *CNS Drugs* 2005; 19: 313-324
29. Rasmussen N-A, Schröder P, Olsen LR, Brødsgaard M, Undén M, Bech P. Modafinil augmentation in depressed patients with partial response to antidepressants: A pilot study on self-reported symptoms covered by the Major Depression Inventory (MDI) and the Symptom Checklist (SCL-92). *Nord J Psychiatry* 2005; 59: 173-178
30. Andersen TH, Bech P, Larsen N-E. Switching patients from olanzapine or risperidone to a combination treatment using perphenazine plus buspirone: Evaluation of antipsychotic efficacy and side-effects, including extrapyramidal effects and weight loss. *Nord J Psychiatry* 2005; 59: 205-208
31. Martiny K, Lunde M, Undén M, Dam H, Bech P. Adjunctive bright light in non-seasonal major depression: Results from clinician-rated depression scales. *Acta Psychiatr Scand* 2005; 112: 117-125
32. Bech P, Lunde M, Undén M. An inventory for the measurement of generalised anxiety distress symptoms, the GAD-10 Inventory. *Acta Psychiatr Belg* 2005; 105:111-118
33. Martiny K. Adjunctive bright light in non-seasonal major depression. *Acta Psychiatr Scand Suppl.* 2004;(425):7-28
34. Martiny K. Lysbehandling af søvn og adfærds forstyrrelser samt depression ved demens. Statusartikel på baggrund af Cochrane review: Light therapy for managing sleep, behaviour and mood disturbances in dementia. *Ugeskrift for læger* (in press).
35. Bech P, Bille J, Waarst S, Wiese M, Borberg L, Treufeldt P, Kessing L. Validity of HoNOS profiles in defining frequently hospitalised patients with ICD-10 schizophrenia and bipolar disorders. *Acta Psychiatr Scand* 2005 (in press)
36. Søndergaard MP, Jarden JO, Martiny K, Andersen G, Bech P. Dose-response to adjunctive light therapy in citalopram-treated patients with post-stroke depression. A randomised, double-blind study. *Psychother Psychosom* 2005 (in press)
37. Bech P, Gex-Fabry M, Aubry M. Olanzapine plasma levels in relation to antimanic effect in females with bipolar disorder. In press.
38. Licht RW, Bech P. Letter to the editor. *Am J Psychiatry* 2005 (in press) Kessing LV, Hansen HV, Demyttenaere K, Bech P. Depression and bipolar disorders. Patients's attitude and beliefs on depression and antidepressants. *Psychol Med* 2005; 35:1205-1213.
39. Bech P, Hansen HV, Kessing LV. The internalising and extranalising dimensions of affective symptoms in depressed (unipolar) and bipolar patients. *Psychotherapy and Psychosomatics* (in press).
40. Bech P. Modern psychometrics in clinimetrics: Impact on clinical trials of antidepressants. *Psychother Psychosom* 2004;73:134-138.
41. Bech P. The impact of the SCL-90 on the validity of the DSM-IV neurotic or stress-related disorders. *Acta Psychiatr Scand* 2004; 110: 161-162

42. Wirz-Justice A, Benedetti F, Berger M, Lam RW, Martiny K, Terman M, Wu J. Chronotherapeutics (light and wake therapy) in affective disorders. *Psychol Med* 2005; 35: 939-944.
43. Kørner A. Depression hos ældre. Fokus på diagnosen. Statusartikel *Ugeskrift for Læger*, 162;2543-45:2000
44. Kørner A, Lauritzen L, Abelskov K, Gulmann N, Brodersen AM, Wedervang-Jensen T, Kjeldgaard KM. The Geriatric Depression Scale and the Cornell Scael for Depression in Dementia. A validity study. *Nord J Psych* 2005 (in press)
45. Hvas AM, Juul S, Lauritzen L, Nezø E, Ellegaard J. No effect of vitamin B-12 treatment on cognitive function and depression: a randomized placebo controlled study. *J Affect Disord*. 2004 Sep;81(3):269-73.