

Symptom Checklist (SCL): Scoringsinstruktioner

Skemaet består af de 92 symptomer, som er opstået ved at den danske SCL-gruppe har villet sikre, at man bade kan benytte den klassiske SCL-90 og den reviderede udgave SCL-90-R. Traditionelt benyttes følgende delskalaer: (tallene angiver itemnumrene i SCL). Forskellen mellem disse to skaler ligger i delskalaen for angst, hvor to items er blevet erstattet af to ny tilførte.

- 1** SCL – somatisering: 1, 4, 12, 27, 40, 42, 48, 49, 52, 53, 56, 58.
- 2** SCL – angst (90-R eller 92): 2, 17, 23, 33, 39, 57, 72, 78, 80, 86.
- 2** SCL – angst (90): 2, 17, 23, 33, 39, 57, 72, 78, 91, 92.
- 3** SCL – interpersonel sensitivitet: 6, 21, 34, 36, 37, 41, 61, 69, 73.
- 4** SCL – fobi: 13, 25, 47, 50, 70, 75, 82.
- 5** SCL – tvangstanker eller tvangshandlinger: 3, 9, 10, 28, 38, 45, 46, 51, 55, 65.
- 6** SCL – depression: 5, 14, 15, 20, 22, 26, 29, 30, 31, 32, 54, 71, 79.
- 7** SCL – vrede: 11, 24, 63, 67, 74, 81.
- 8** SCL – mistroiskhed: 8, 18, 43, 68, 76, 83.
- 9** SCL - psykoticisme: 7, 16, 35, 62, 77, 84, 85, 87, 88, 90.
- 10** SCL-D₁₆: 2, 5, 71, 14, 19, 26, 30, 31, 32, 44, 57, 59, 64, 66, 78, 87.
- 11** SCL-D₆: 71, 14, 26, 30, 32, 57.
- 12** SCL-A₁₄: 2, 4, 5, 31, 39, 40, 42, 48, 49, 50, 54, 55, 66, 78.
- 13** SCL-A₆: 2, 31, 42, 50, 55, 78.
- 14** ASS₈: 2, 23, 31, 45, 50, 65, 72, 73.
- 15** IPS₅: 6, 11, 34, 36, 61.
- 16** Global Severity Index (GSI): Alle item.

Ud fra disse SCL-subskalaer kan man vise profilen af en patient eller en gruppe af patienter som en total score fra SCL-90 eller, hvis man foretrækker det, SCL-90-R divideret med antallet af items, dvs. 90.

Danske normaltal

Delskala	Gennemsnits item score for den enkelte skala (sd)		
	Kvinder (N=611)	Mænd (N=532)	Alle (N = 1143)
1 Somatisering	0.56 (0.58)	0.42 (0.46)	0.49 (0.53)
2 A Angst (90)	0.43 (0.52)	0.34 (0.45)	0.39 (0.49)
B Angst (90-R)	0.43 (0.56)	0.35 (0.44)	0.40 (0.48)
3 Interpersonel sensitivitet	0.60 (0.59)	0.48 (0.52)	0.54 (0.56)
4 Fobi	0.15 (0.36)	0.12 (0.31)	0.13 (0.34)
5 Tvangstanker eller -handlinger	0.66 (0.63)	0.60 (0.58)	0.63 (0.61)
6 Depression	0.67 (0.67)	0.51 (0.58)	0.59 (0.63)
7 Vrede	0.36 (0.42)	0.31 (0.39)	0.34 (0.41)
8 Mistroiskhed	0.46 (0.60)	0.47 (0.58)	0.46 (0.59)
9 Psykoticisme	0.23 (0.34)	0.20 (0.30)	0.22 (0.32)
Alle items (GSI)	0.49 (0.46)	0.41 (0.40)	0.45 (0.43)

Andre SCL-92 subscales (Bech P et al. JAD 2014)

HAM-D ₁₇ relateret depressionsskala	SCL-D ₁₆
HAM-D ₆ relateret depressionsskala	SCL-D ₆
HAM-A ₁₄ relateret angstskala	SCL-A ₁₄
Angst Symptom Skala (sværhedsgrad)	SCI-ASS ₈
Interpersonel sensitivitet	IPS ₅

Referencer:

Bech P, Licht RW, Stage KB, Abildgaard W, Bech-Andersen G, Søndergaard S, Martiny K. Rating scales for affective lidelser. Kompendium. 2., revideret oplag. Psykiatrisk Forskningsenhed, Psykiatrisk Sygehus Hillerød, Frederiksborg Amt, 2005.

Bech P, Bille J, Møller SB, Hellström LC, Østergaard SD. Psychometric validation of the Hopkins Symptom Checklist (SCL-90) subscales for depression, anxiety, and interpersonal sensitivity. *Journal of Affective Disorders* 2014;160:98-103

Olsen LR, Mortensen EL, Bech P. The SCL-90 and the SCL-90-R validated by Item Response Models in a Danish community sample. *Acta Psychiatr Scand* 2004;110:225-229.